

ELEXIO

救援指南



1.		1
2.		2
2.1		2
2.2		3
3.		4
3.1		4
3.2		5
4.		6
4.1		6
4.2		7
4.3		7
4.4		8
4.5		10
4.6		13
4.7		14
4.8		18
4.9	/	19
4.10		21
5.		25


1.

ELEXIO




2.

06 (MM W



V(

XXX3EXXXXXXXXXXXXX



VIN :

1)VIN

2) VIN

2.

00




12V

	4WD	2WD	2WD
V	399.4		397.0
	1g023.24.0 576954E37A4640310C / Sprinkler MCL36/hg (eS)		

3.


16(

名称	模式	定义
高电压警告		触碰高电压部件 很危险。
高电压装置警告	 	严禁随意拆卸高电压装置盖。 否则，非常危险。
蓄電池組標籤		蓄電池組 警告信息



3.

100

	绝缘性能： 1000V / 300A 或以上
说明	绝缘手套
绝缘性能： 1000V / 300A 或以上	
说明	绝缘鞋
绝缘 / 预防电火花	
说明	绝缘服
	预防电火花
眼镜面罩	说明
	安全

4.

26 (

4.

26(

ELEXIO


(READY)”



, P(Park)

26(

()



4.

20


206 (

1. (READY)" (READY)"

a) (READY)"

/ ((READY)")

b) P- /



	OFF	
1	ACC	
2	ON	
3	OFF	

P

	OFF	
1	-	


2. 12V

12V


3. 12V 2

4.

200 0 0 1



a



b 12V

206(



a



b




!

268(


266 (

*

O L






2 L



							
	12V						
							

4.

2600



(280MPa)




(340MPa ~1180MPa



(1470MPa)

4.

266(



- (1)
- (2)
- (3) (SRSCM)/
- (4) ()
- (5)
- (6)
- (7) ()
- (8)
- (9)
- (10)
- (11)
- (12)
- (13)
- (14)

12V

i (

ELEXIO



12V

4.

264

ELEXIO

/



4.

266(

266 (

-
-
- 15 (50)


NIOSH/MSHA (SCBA)

266(

(ABC)

4.

266(



*

) (



(PPE)

PPE



PPE() *SCBA*(

15

o

-

o

4.

262(

- 1. 12V ()
- 2.
- 3.

(PPE)

PPE



PPE() SCBA(

15

o

-

o

4.



•



•

N(

4.

26 8(

0

.



.



.



.



.



/

ON
READY

/

ON

+

-

-

-

-


-

12V

4.

- 1
- 2. OFF
- 3. / & P(
- 4. OFF
- 5.

+ -



(1) + (2) -

- 6. +
- 7. +
- 8. -
- 9. -

4.



(i)

10.

11

30

60

12V

1

(-)

2.

(-)

3.

(+)

4.

(+)

12V

()



(i) *(i)*

5.

36 (

12V

,


2%

3

BMS

()

:



30(

2%
3

